

Prepared for:
FLOYDS OF LEADVILLE

1101 POPLAR STREET
LEADVILLE, CO USA 80461


50mg


Batch ID or Lot Number: 001	Test: Potency	Reported: 09May2023	USDA License: N/A
Matrix: Unit	Test ID: T000242951	Started: 04May2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 03May2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.111	0.319	ND	ND	# of Servings = 1, Sample Weight=0.641g
Cannabichromenic Acid (CBCA)	0.102	0.291	ND	ND	
Cannabidiol (CBD)	0.332	0.836	57.370	89.50	
Cannabidiolic Acid (CBDA)	0.341	0.858	ND	ND	
Cannabidivarin (CBDV)	0.079	0.198	0.230	0.40	
Cannabidivarinic Acid (CBDVA)	0.142	0.358	ND	ND	
Cannabigerol (CBG)	0.063	0.181	ND	ND	
Cannabigerolic Acid (CBGA)	0.264	0.756	ND	ND	
Cannabinol (CBN)	0.082	0.236	ND	ND	
Cannabinolic Acid (CBNA)	0.180	0.516	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.314	0.901	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.285	0.818	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.253	0.725	ND	ND	
Tetrahydrocannabivarin (THCV)	0.057	0.164	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.223	0.639	ND	ND	
Total Cannabinoids			57.600	89.90	
Total Potential THC			ND	ND	
Total Potential CBD			57.370	89.50	

Final Approval


Sam Smith
09May2023
08:30:00 AM MDT
PREPARED BY / DATE


Karen Winternheimer
09May2023
08:33:00 AM MDT
APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/aac6ea1b-7f03-4ef4-a2d7-5e508694d27c>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
aac6ea1b7f034ef4a2d75e508694d27c.1